

Certificate of Registration

Certificate Number 4142

Placed on the Market under the Name of

**Emplas Window Systems Ltd
Huxley Close
Park Farm South
Wellingborough
NN8 6AB
United Kingdom**

and produced in the manufacturing plant
**Emplas Window Systems Ltd, Huxley Close, Park Farm South, Wellingborough, NN8 6AB,
United Kingdom**

This certificate attests that all provisions have been met concerning the BM TRADA requirements of the scheme:

Q-Mark Composite Fire Door Manufacture



Date of Initial Certification: **23/06/2025**

Date of Last Issue: **08/07/2025**

Date of Expiry: **22/06/2028**

**Natasha Bambridge
(Divisional Director)**
For and on behalf of Element

Scope of Certification

Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely

Type	FoA Report	Rev	Owned by Certified Company named on this scope	Doorset Description	Integrity Period	FoA Standard
Fire	N/A	-	-	-	-	-
Smoke	N/A	-	-	-	-	-

Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	FoA Standard
Fire	WF545086	Winkhaus UK Ltd	Winkhaus 30 Minute Fire/Security/Smoke Control Doorset Range – Winkhaus FireFrame® with DoorCo Solid and Glazed Door Leaf Inward & Outward Opening Composite Doorset (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	WF545089	Winkhaus UK Ltd			BS 476 Pt31.1

Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Type	Test Report	Owner of Test Report	Doorset Description	Integrity Period	Test Standard
Fire only	-	-	-	-	-